

**DEXRON® Achsial-Rillen-Kugal-Lager – Modified PV 1454**  
**Report Form**  
**Form 1**  
**Version**

Formulation Code							
Formulation Code							
SPONID	SponsorCode	Modification	Blend	Count	TestType	Lab	Instrument

Test Identification			
Sponsor			
Sponsor In-House Number			
Lab In-House Number			
Alternate Code			
Test Number <sup>A</sup>			
Instrument		Run Number	
Start Date		Start Time	
EOT Date		EOT Time	

<sup>A</sup>Test Number = Instrument – Run Number

Test Validity Statement	
This test has been conducted in a valid manner – YES or NO	
Test Laboratory	
Signature	
Typed Name	
Title	

**DEXRON® Achsial-Rillen-Kugal-Lager – Modified PV 1454**

**Pass/Fail Results**

**Form 2**

Formulation Code	
Test Number	

<b>Pass/Fail Results</b>		
<b>Parameter</b>	<b>Unit</b>	<b>Result</b>
Average Steady-State Temperature	°C	

<b>Test Operating Conditions</b>	
Rotation Speed, rpm	
Oil Volume, ml	
Load, N	
Test Duration, min	

<b>Comments</b>

**DEXRON® Achsial-Rillen-Kugal-Lager – Modified PV 1454**

**Test Data**

**Form 3**

Formulation Code	
Test Number	

<b>Test Results</b>			
Test Run	Temperature (°C)		
	Ambient*	Test Fluid*	Steady-State**
Run 1			
Run 2			
Run 3			
Average			
Standard Deviation			

\* Temperature at maximum speed during last minute of operation, as defined by GM

\*\*  $T_{\text{steady-state}} = 30^{\circ}\text{C} - T_{\text{ambient}} + T_{\text{oil sump}}$  (according to PV 1454)

**DEXRON® Achsial-Rillen-Kugal-Lager – Modified PV 1454**

**Run 1 Plot**

**Form 4**

Formulation Code	
Test Number	

**DEXRON® Achsial-Rillen-Kugal-Lager – Modified PV 1454**

**Run 2 Plot**

**Form 5**

Formulation Code	
Test Number	

**DEXRON® Achsial-Rillen-Kugal-Lager – Modified PV 1454**

**Run 3 Plot**

**Form 6**

Formulation Code	
Test Number	

**DEXRON® Achsial-Rillen-Kugal-Lager – Modified PV 1454**  
**Test Fluid Temperature Plot**  
**Form 7**

Formulation Code	
Test Number	