

**DEXRON® DKA Oxidation Stability Test  
Report Form  
Form 1  
Version**

Formulation Code							
Formulation Code							
SPONID	SponsorCode	Modification	Blend	Count	TestType	Lab	Bath

Blended Sample Testing Information <sup>B</sup>			
Candidate Percentage		Other Percentage	
Other Fluid ID			

<sup>B</sup> If not a Blended Sample then report 100% Candidate Percentage, 0% Other Percentage, and “None” for Blend Fluid ID.

Test Identification			
Sponsor			
Sponsor In-House Number			
Lab In-House Number			
Alternate Code			
Test Number <sup>A</sup>			
Bath		Run Number	
Start Date		Start Time	
EOT Date		EOT Time	

<sup>A</sup> Test Number = Bath – Run Number

Test Validity Statement	
This test has been conducted in a valid manner – YES or NO	
Test Laboratory	
Signature	
Typed Name	
Title	

**DEXRON® DKA Oxidation Stability Test  
Pass/Fail Results  
Form 2**

Formulation Code	
Test Number	

<b>Pass/Fail Results</b>		
<b>Parameter</b>	<b>Unit</b>	<b>Result</b>
Kinematic Viscosity @ 40°C Fresh Oil	m <sup>2</sup> /s	
Kinematic Viscosity @ 40°C Oxidized Oil	m <sup>2</sup> /s	
Kinematic Viscosity @ 100°C Fresh Oil	m <sup>2</sup> /s	
Kinematic Viscosity @ 100°C Oxidized Oil	m <sup>2</sup> /s	
Kinematic Viscosity @ 40°C Delta	%	
Kinematic Viscosity @ 100°C Delta	%	
Total Acid Number Fresh Oil	mg KOH/g	
Total Acid Number Oxidized Oil	mg KOH/g	
Total Acid Number Delta	mg KOH/g	
Peak Arrival Interval (PAI)		
Sludge Rating of Flask	wt. %	

<b>Test Operating Conditions</b>	
Test Temperature, °C	
Test Length, h	
CEC L-48-A-00 Test Method	

<b>Comments</b>

**DEXRON® DKA Oxidation Stability Test**  
**Blotter Plot**  
**Form 3**

Formulation Code	
Test Number	